

ENORMETM

USER FRIENDLY **SIMPLY SERIES**

CARTRIDGES FILTER HOUSINGS



ENORME Heavy Duty-SIMPLY SERIES Filter Housings offers the versatility to meet all of your large-capacity filtration needs, including high-flow and heavy-sediment applications. The exclusive innovative and elegant design make sure no by pass happens and gives very premium looks to your water treatment system.

The High-Flow Polypropylene (HFPP) cap is available with 1" or 1-1/2" NPT inlet and outlet ports.

ENORME SIMPLY SERIES CARTRIDGE FILTER Housings are compatible with a broad range of chemicals and can handle variety of different water qualities. The housings are available with a pressure relief button and pressure gauge mounting.

It comes with 'CARTRIDGE GUARD RING' which makes sure no bypass/slippage of dirt happens during filtration.

The housing comes along with spanner. The double 'o' ring design of housings make sure no leakages are there at site.

The housings are made of 100% virgin high quality Poly propylene.

COMPONENTS

- ◆ **HOUSING:** The main vessel, made from high grade Polypropylene. It holds the filter cartridge
- ◆ **SPANNER/WRENCH:** Used for opening and tightening
- ◆ **PRESSURE GAUGE MOUNTING:** To mount pressure gauge
- ◆ **AIR RELEASE VALVE:** To release Blocked air, particularly while starting the system
- ◆ **'O' Ring:** Provides leak proof seal between housing head and body

FEATURES AND BENEFITS

- ◆ High quality housing suitable for high flow applications
- ◆ Pressure relief/bleed on inlet side of cap
- ◆ Made from 100 % virgin raw material provides premium build quality.
- ◆ Accepts up to 4-1/2" diameter cartridges
- ◆ Available in 20" lengths, the most user friendly and leakage/slippage proof design


SPECIFICATIONS

- ◆ **Housing**
Polypropylene
- ◆ **Cap**
Polypropylene (PP)
- ◆ **Button Assembly**
EPDM, and polypropylene
- ◆ **O-Ring**
SILICON
- ◆ **Temperature Rating**
40-100° F (4.4-37.8°C)
- ◆ **Maximum Pressure**
20" : 90 psi (6.2 bar)

SPECIFICATIONS AND PERFORMANCE

PART #	DESCRIPTION	MAXIMUM DIMENSIONS	INITIAL P (PSI) @ FLOW RATE (GPM)
1	20" enorme simply series with 1" connection	23.22" x 7.45" (590 x 189 mm)	1 psi @ 15 gpm (0.07 bar @ 57 Lpm)
2	20" enorme simply series with 1.5" connection	23.22" x 7.45" (590 x 189 mm)	1 psi @ 15 gpm (0.07 bar @ 57 Lpm)

PRESSURE DROP VS FLOW RATE



"The garph shows flow vs pressure drop without element"

About ENORME

ENORME range of filtration solutions are developed by technocrats having rich experience of decades in manufacturing or designing of cartridge filtration/bag filtration/ultra filtration/disc filtrations.

ENORME products has been appreciated by OEMs all across india and abroad.

ENORME filtration products has been approved in varied industries and is known to bring the best of the filtrations. ENOROME stands for highest possible user satisfaction!

Innovative Filtration Solutions



Workshop: 14-15, Panchratna Industrial Estate, Opp Satyam Mall, Sumip Composite-3 Lane, B/h VR Pilsulfate, Changodar-382213

Office: B-214, Nilkanth Palace, 100 feet Anandnagar Road, Satelite, Ahmedabad-380015

Phone: 9227418504/7227061661 | Email: sales@fipco.com | Website: www.fipco.com