





Workshop: 14-15, Panchratna Industrial Estate, Opp Satyam Mall, Sumip Composite-3 Lane, B/h VR Pilsulfate, Changodar-382213

Office: B-214, Nilkanth Palace, 100 feet Anandnagar Road, Satelite, Ahmedabad-380015

Phone: 9227418504/7227061661 | Email: sales@fiplco.com | Website: www.fiplco.com



LINE SIZE	L	PCD
20NB	88mm	73
25NB	205mm	83
50NB	260mm	114

ASTER
TECHNOLOGIES

Part Name:—
GA DRG Full bore
Flow sensor FL

Scale.:—NTS


DONE BY— PJ

CIID.— KK


APRVD.:—PM




INSERTION TYPE SENSORS



Regular Insertion Sensor
(40NB, 50NB, 65NB, 80NB)




Long Insertion Sensor
(100NB, 125NB)




Extra Long Insertion Sensor
(150NB)


ADAPTORS



SS Weldon Adaptor



Small pvc adaptor



Big pvc adaptor

Line Size (NB)	Sensor Type (MM)			INSERTION ADAPTOR OUTSIDE THE LINE (MM)	Weld line Dist.(D) (MM)	Flow Range (m3/hr)	
	SS Weldon	UPVC	PVC			Min.Flow	Max.Flow
40	90	90	90	35	33	0.5	1.5
50	90	90	90	55	13	3.5	35
65	90	120	90	55	17	8	25
80	90	120	120	62	20	11	60
100	120	160	120	62	25	22	120
125	150	200	160	62	25	22	220
150	160	240	160	48	20	30	300